LWPI



A training database for learning how to use the DWPI files:

WPIDS Derwent World Patent Index® Subscriber File WPINDEX Derwent World Patents Index® Standard File

WPIX Derwent World Patents Index® Subscriber File with Extension Abstract

Access to WPIDS and WPIX is subject to a relevant subscription with Clarivate Analytics (UK) Limited

(See database summary sheet 'WPIDS/WPINDEX/WPIX' for details on search and display fields (except Derwent Chemistry Resource segment and structure searching), which are valid in LWPI).

Subject Coverage

All patent-relevant areas of science and technology. The start of coverage varies by both subject matter and patent authority:

- Pharmaceuticals: 1963Plastics and polymers: 1966
- Mechanical, electrical, and general technology: 1974
- Agricultural chemicals: 1965
- All other chemistry and general technology: 1970

File Type

Bibliographic, learning

Features

Thesauri	F-Term (/FTERM), FI-Term (/FCL), International Patent Classification (/IPC), Manual Code (/MC), Polymer Indexing Enhanced (/PLE), Title Terms (/TT), and US National Patent Classification (/NCL). There is a thesaurus-like feature in the Compound Number (/DCN), Registry Number (/DRN), Patent Assignee Code (/PACO), and Plasdoc Key Serials (/KS)				
Alerts (SDIs)	Not available				
CAS Registry Number [®] Identifiers		Page Images		STN [®] AnaVist™	
Keep & Share	\checkmark	SLART	\checkmark	STN Easy [®]	
Learning Database	\checkmark	Structures			

Record Content

Bibliographic Records

- Patent family data available for each bibliographic record:
 - Basic patent
 - Equivalents (information about the same invention issued in other countries)
- Invention Level: bibliographic data and Clarivate Analytics (UK) Limited value-added titles, abstracts, general and (where appropriate) in-depth chemical and electrical indexing. Electrical, engineering drawings and chemical structure drawings. Data from the individual member patents is collated and de-duplicated.
- Member Patent Level (Publication Level): bibliographic data, equivalent abstracts and general indexing information associated with individual documents in the patent family. Additional first-level elements comprise author titles and abstracts, claims, original inventor, patent assignee and agent information including addresses.
- The Invention and Member Patent Levels can be searched individually or in combination.
- Numeric values of 55 physical and chemical properties in almost 400 unit variants are searchable in all English text fields (titles, abstracts, claims).

LWPI

File Size

• Static file with 997,910 records and 629,646 images

Coverage

- 1963-present
- Electrical and engineering drawings: 1988-present
- Chemical structure drawings 1992-present

Updates

Not updated

Language

English

Database Producer

Clarivate Analytics (UK) Limited Friars House, 160 Blackfriars Rd.

London SE1 8EZ United Kingdom

Copyright Holder: Clarivate Analytics

Sources

Patent documents are covered from:

Argentina (1975)* Australia (1963-69,1983-pres.) Austria (1975-present) Belgium (1963-present) Brazil (1976-present) Canada (1963-present) China (1987-present)

Czech Republic (1994-present) Czechoslovakia (1975-1994)* Denmark (1974-present)

European Pat. Off. (1978-present)

Finland (1974-present) France (1963-present) Germany (1963-present)

Germany (Utility Models) (1995-present) German (Dem. Rep.) (1963-1990)

Hungary (1975-present) India (2004-present) Ireland (1963-69,1995-pres.)

Israel (1975-present)

Italy (1966-69,1978-present)

Japan (1963-present)

Luxembourg (1984-present) Mexico (1997-present) Netherlands (1963-present) New Zealand (1993-present) Norway (1974-present) PCT (WIPO) (1978-present) Philippines (1994-present) Portugal (1974-present) Rep. of Korea (1986-present) Romania (1975-present)

Russian Federation (1994-present)

Singapore (1995-present) Slovakia (1994-present) South Africa (1963-present) Soviet Union (1963-1994)* Spain (1983-present) Sweden (1974-present) Switzerland (1963-present) Taiwan (1993-present)

United Kingdom (1963-present) United States (1963-present)

Additional Sources are:

- Research Disclosure (1978-present)
- Copyright: Kenneth Mason Publications Limited [2006] www.researchdisclosure.com
- International Technology Disclosures (1984-93)*
- * signifies available within the backfile only

Sources (cont.)

Additional first level data elements such as original titles and abstracts, claims, inventor, assignee and agent information and addresses may be present at the Member Patent Level as follows:

- Australia (2004-present)
- Germany (1968-present)
- European Patent Office (1978-present)
- Japan (1975-present)

- PCT (WIPO) (1978-present)
- United Kingdom (1984-1997, 2004-present)
- United States (1975-present)

Comprehensive details of coverage within Derwent World Patents Index (R) can be found within Global Patent Sources which is available to download for free at: http://scientific.thomson.com/products/gps/

User Aids

- Derwent World Patents Index STN Online User Guide
- STNGUIDE
- Online Helps (HELP DIRECTORY lists all help messages available)
- Patent Sources *
- · Introduction to Chemical Indexing
- Classification User Guide *
- Title Terms User Guide *
- Patentee Codes User Guide *
- CPI Chemical Indexing Guidelines, Indexing of Chemical and Pharmaceutical Patents *
- CPI Chemical Indexing User Guide *
- CPI Manual Codes User Guide *
- Chemistry Resource on STN *
- CPI Plasdoc Coding Systems User Guide *
- Polymer Indexing Directory Parts 1 and 2 *
- Polymer Indexing Reference Manual *
- Polymer Indexing System Description User Guide *
- Polymer Indexing Thesaurus Guide *
- Polymer Indexing Hierarchy User Guide *
- EPI Manual Codes User Guide Parts 1,2 and 3 *
- * Available from the producer

Clusters

LEARNING

STN Database Clusters information (PDF)

Pricing

Enter HELP COST at an arrow prompt.

Sample Record

```
2000-206237 [200019]
AN
                           LWPI
    20050410
ED
DNC C2000-063847 [200019]
    Capacitative measuring device detects the exact termination of biogas
    filter service life, protecting gas engine and catalytic converter from
    impurities
DC
    J01; Q51; Q52
    BRANDT A; KUEFFMEIER R; KUFFMEIER R
TN
    (JENB-N) JENBACHER AG
PA
CYC 26
    AT----9900159 A 20000215 (200019)* DE 11[3]
    EP----1026379 A2 20000809 (200039) DE
                                                         F02B-043/00
    AT-----406827 B 20000815 (200046) DE
                                                         B01D-053/04
    CA----2298153 A1 20000808 (200052) EN
                                                         F01N-011/00
ADT AT----9900159 A 1999AT-000000159 19990208; AT-----406827 B
    1999AT-000000159 19990208; EP----1026379 A2 2000EP-000101343 20000124;
    CA----2298153 A1 2000CA-002298153 20000207
FDT AT-----9900159 A
PRAI 1999AT-000000159 19990208
    ICM B01D-053/04; F01N-011/00; F02B-043/00
    ICS B01D-053/00; B01D-053/94; F01N-003/08; F01N-009/00; F02B-043/02
AB
    AT 9900159 A UPAB: 20050410
    NOVELTY - An assembly removes impurities from biogas using an active
    carbon granule filter. Removal of the impurities renders the gas suitable
    for use as fuel in a gas engine. The carbon granules become increasingly
    laden with impurities. The degree to which the carbon is saturated is
    detected using a cylindrical electrolytic condenser (52) linked to a
    capacitative measuring bridge (53) operated using alternating current in
    the range 10 Hz to 10 MHz. The capacitor (52) electrodes are separated by
    an interval of pref. approx. 1 cm.
          USE - The capacitor and measuring device detect the exact
    termination of satisfactory filter service life prior to regeneration.
          ADVANTAGE - The gas motor and exhaust catalytic converter are
    protected from damage arising from gas impurities. DESCRIPTION OF
    DRAWING(S) - The drawing shows the filter assembly and capacitative
    measuring bridge.
```

ABEQ (0002)

EP 1026379 A2 UPAB 20050410

NOVELTY - An assembly removes impurities from biogas using an active carbon granule filter. Removal of the impurities renders the gas suitable for use as fuel in a gas engine. The carbon granules become increasingly laden with impurities. The degree to which the carbon is saturated is detected using a cylindrical electrolytic condenser (52) linked to a capacitative measuring bridge (53) operated using alternating current in the range 10 Hz to 10 MHz. The capacitor (52) electrodes are separated by an interval of pref. approx. 1 cm.

USE - The capacitor and measuring device detect the exact termination of satisfactory filter service life prior to regeneration.

ADVANTAGE - The gas motor and exhaust catalytic converter are protected from damage arising from gas impurities. DESCRIPTION OF DRAWING(S) - The drawing shows the filter assembly and capacitative measuring bridge.

ABDT AT9900159

USE

The capacitor and measuring device detect the exact termination of satisfactory filter service life prior to regeneration.

ADVANTAGE

The gas motor and exhaust catalytic converter are protected from damage arising from gas impurities.

NOVELTY

An assembly removes impurities from biogas using an active carbon granule filter. Removal of the impurities renders the gas suitable for use as fuel in a gas engine. The carbon granules become increasingly laden with

impurities. The degree to which the carbon is saturated is detected using a cylindrical electrolytic condenser (52) linked to a capacitative measuring bridge (53) operated using alternating current in the range 10 \mbox{Hz} to 10 $\mbox{MHz}.$ The capacitor (52) electrodes are separated by an interval of pref. approx. 1 cm.

DESCRIPTION OF DRAWING

The drawing shows the filter assembly and capacitative measuring bridge.

MC CPI: J01-E02A3; J01-G03

In North America STN North America P.O. Box 3012 Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center: Phone: 800-753-4227 (North America) 614-447-3700 (worldwide) 614-447-3751

Email: help@cas.org Internet: www.cas.org

In Europe FIZ Karlsruhe STN Europe P.O. Box 2465 76012 Karlsruhe Germany

Phone: +49-7247-808-555 Fax: +49-7247-808-259 Email: helpdesk@fiz-karlsruhe.de Internet: www.stn-international.com

In Japan JAICI (Japan Association for International Chemical Information)

STN Japan Nakai Building

6-25-4 Honkomagome, Bunkyo-ku

7-25-4 Hollingtone, DainkyO-Ku Tokyo 113-0021, Japan Phone: #81-3-5978-3601 (Technical Service) #81-3-5978-3621 (Customer Service) Fax: #81-3-5978-3600

support@jaici.or.jp (Technical Service) customer@jaici.or.jp (Customer Service)

Internet: www.jaici.or.jp